

L Number	Hits	Search Text	DB	Time stamp
4	1	6108715.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 14:25
5	0	6108715.pn. and (type near10 description near10 function near10 encoded near10 data near50 unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:29
6	0	6108715.pn. and (type near50 description near50 function near50 encoded near50 data near50 unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:02
7	0	6108715.pn. and (description near50 function near50 encoded near50 data near50 unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:03
8	0	6108715.pn. and (description same function same encoded same data same unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:03
9	0	6108715.pn. and (description and function same encoded same data same unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:03
10	0	6108715.pn. and (description and function and encoded and data and unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:04
11	0	6108715.pn. and ( function and encoded and data and unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:04
12	0	6108715.pn. and ( encoded and data and unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:04
13	1	6108715.pn. and ( data and unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:04
16	1	6108715.pn. and ( data and unmarshalling and function)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:05
17	0	6108715.pn. and ( data and unmarshalling and function and describ)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:05
18	0	6108715.pn. and ( data and unmarshalling and function and des)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:05
19	0	6108715.pn. and ( data and unmarshalling and function and d)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:05
21	1	6108715.pn. and ( data and unmarshalling and function and describ\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:08
24	0	associate\$ same function\$ same describ\$ same encode\$ same unmarshalling\$ same reconstruct\$	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:09
25	0	(associate\$ same function\$ same describ\$ same encode\$) and (unmarshalling\$ same reconstruct\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:10

26	0	(associate\$ same function\$ same encode\$) and (unmarshalling\$ same reconstruct\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:10
27	9482	(associate\$ same function\$ same encode\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:10
28	0	(associate\$ same function\$ same encode\$) and unmarshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:11
29	46	(encode\$) and unmarshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:12
30	5	(encode\$ same object) and unmarshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:12
31	5	(encode\$ same object\$) and unmarshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:13
32	3	(encode\$ same object\$ same decode\$) and unmarshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:15
33	22	encoded same data same representation same object same description	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:21
34	2	encoded near5 data near10 representation same object same description	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:22
35	2	encode\$ near3 representation same object same description	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:23
36	7	encode\$ near10 representation same object same description	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:24
37	828	encode\$ same object same description	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:25
38	40	encode\$ near5 object near5 description	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:25
39	14	encode\$ near2 object near2 description	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:25
40	7	encode\$ near2 object near2 description same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:27
41	16	encode\$ near5 object near5 description same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:27
43	0	6108715.pn. and (unmarshalling same decode)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:29
42	1	6108715.pn. and (unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:30

46	0	6108715.pn. and (type same description same function)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:30
49	3	type\$ same description\$ same function\$ same object\$ same unmarshalling\$	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 11:37
50	1	6263379.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 12:16
71	1	6263379.pn. and (error)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 12:19
72	0	6263379.pn. and (error same message\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 12:19
73	39002	error\$ same message\$	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 12:20
74	2	(error\$ same message\$) same unmarshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 12:20
75	0	6108715.pn. and (object same creation\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 14:26
76	1	6108715.pn. and (object)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 14:53
77	1	6108715.pn. and (format)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:08
78	0	6108715.pn. and (encode)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:03
79	0	6263379.pn. and (encode)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:04
80	1	5592588.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:04
81	0	5592588.pn. and (encode same format)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:05
82	0	5592588.pn. and (encode same format)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:05
83	0	marshalling same encode same format same different	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:09
84	4	marshalling same encode	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:09
85	2	marshalling same encode same format	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:10

86	881	encode same format same different	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:11
87	0	encode near2 data same format near2 independent same diferent	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:11
88	0	encode near2 data same format near40 independent same diferent	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:12
89	0	encode near2 data same format near5 diferent	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:12
90	1503	encode near2 data same format	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:12
91	22	encode near2 data same format same independent\$	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:15
92	1	5592588.pn.	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:15
93	0	5592588.pn. and (encode same format)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:15
94	1	5592588.pn. and (encode and format)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:17
95	1	5307490.pn.	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:17
96	0	5307490.pn. and (encode same format)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:18
97	1	5307490.pn. and (encode and format)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:19
99	0	6108715.pn. and encode	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:35
100	0	6108715.pn. and encod\$	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:25
101	616	encode\$ same data same format same independent\$	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:26
102	337	encode\$ near5 data same format same independent\$	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:26
103	78	encode\$ near5 data same format near5 independent\$	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:27
104	67	encode\$ near5 data same format near5 independent\$ and object	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:27

105	0	encode\$ near5 data same format near5 independent\$ and object and marshall\$	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:27
106	43	encode\$ near5 data near10 format near5 independent\$ and object	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:33
107	1	6108715.pn. and (format\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:33
108	0	6108715.pn. and (format\$ and independent\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:34
109	0	6108715.pn. and (format\$ and new)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:34
110	64	encode\$ near5 data same independent near5 format	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:36
111	52	encode\$ near2 data same independent near5 format	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:36
112	21	encode\$ near2 data same independent near2 format	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/22 15:36
-	0	("processsamefirstsamesecondsamedataadjtypesameUSPAT; same2003/11/20 09:15 andunr	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:15
-	3	process same first same second same data adj type and marshalling and unmarshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:18
-	1	(process near5 ( first or second)) same (data adj type) and (marshalling and unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:21
-	2	(process near5 ( first or second)) same (data adj type) and (marshalling or unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:22
-	113	(process near5 ( first or second)) and (marshalling or unmarshalling)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:22
-	43	(process near5 ( first or second)) and (marshalling or unmarshalling) and (address near5 space)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:22
-	22	(process near5 ( first or second)) and (marshalling or unmarshalling) and (address near5 space) and (request same send)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:23
-	10	(process near5 ( first or second)) and ((marshalling or unmarshalling) same function) and (address near5 space) and (request same send)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:24
-	5	(process near5 ( first or second)) and ((marshalling or unmarshalling) near3 function) and (address near5 space) and (request same send)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:24
-	2	(process near5 ( first or second)) and ((marshalling or unmarshalling) near3 function) and (address near5 space) and (request near4 send)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:27

-	9	(process near5 ( first or second)) and ((marshalling or unmarshalling) near10 function) and (address near5 space)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:27
-	1	6629153.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:36
-	1	6629153.pn. and (first same second same process) and (address near space)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:39
-	1	6629153.pn. and (first same second same process) and (address near5 space)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:39
-	905	first same second same process same address same space	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:40
-	1	(first same second same process same address same space) and (marshalling and unmarshalling same function)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:41
-	1	6108715.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 09:55
-	1	6108715.pn. and (first same second same address same space)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:56
-	1	6108715.pn. and (process same address same space)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:06
-	0	6108715.pn. and (process same address same space same request same send)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:07
-	1	6108715.pn. and (process same address same space same request )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:16
-	0	6108715.pn. and (runtime same create same marshalling )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:17
-	1	6108715.pn. and (object same create same marshalling )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:31
-	0	print near function same process same first same second same marshalling	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:32
-	17	print near function same process same first same second	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:34
-	12	print near function same data near type	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:34
-	0	6108715.pn. and (data near10 type)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 10:56
-	1	6108715.pn. and (data )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:11

-	1	6108715.pn. and (parameter same memory same location)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:39
-	1	6108715.pn. and (parameter and memory near location)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:40
-	1	6108715.pn. and (parameter same format same data)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:51
-	1	6108715.pn. and (memory near location)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:53
-	1	6108715.pn. and (memory near5 location)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:53
-	38396	parameterized same object same memory location same data same type	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:54
-	1	parameterized same object same memory same location same data same type	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:55
-	0	parameterized same object same memory near location same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:56
-	0	parameterized same object same memory near location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:56
-	9	parameterized same memory near location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:56
-	9	parameterized same (memory near location)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 11:57
-	0	6108715.pn. and (ogg same set same memory )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:11
-	0	6108715.pn. and (off same set same memory )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:12
-	0	6108715.pn. and (off same set)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:12
-	528	offset same element same memory same location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:13
-	156	offset same element same memory adj location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:13
-	14	offset near element same memory adj location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:13
-	1	offset near element near20 memory adj location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:14

-	1	offset near element near50 memory adj location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:14
-	14	offset near element same memory adj location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:14
-	434	offset near10 memory adj location	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:15
-	22	(offset near10 memory adj location) same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:20
-	86	(offset near20 memory near5 location) same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:20
-	0	(offset near20 memory near5 location) same relative same data and (dynamic same array)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:22
-	17	(offset near20 memory) same relative same data and (dynamic same array)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:24
-	91	(offset near20 memory)and (dynamic same array same size)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:24
-	4	((offset near20 memory) same parameter)and (dynamic same array same size)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:26
-	0	((offset near20 memory) same parameter)and (dynamic near10 size same array)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:27
-	6	(offset same memory same parameter)and (dynamic same size same array)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:28
-	105	offset same memory same parameter same object	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:28
-	0	offset same memory same parameter same object same interprocess and communications	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:29
-	25	offset same memory same parameter same object same process	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:30
-	27	offset same memory same parameter same object same method	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:30
-	10	offset same memory same parameter same object same method same process	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:32
-	25	offset same element same identify same location same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:34
-	18	offset same element same identify same location same relative same data same memory	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:38



-	422	offsetnear20 memory same element same location same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:38
-	30	offset near20 memory same element same location same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:38
-	28	offset near10 memory same element same location same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:38
-	24	offset near5 memory same element same location same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:41
-	85	offset near5 memory same location same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 12:41
-	31	offset near3 memory near10 location same relative same data	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 13:03
-	6	dynamic same size same array same specify same define	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 13:04
-	31	dynamic same size same array same specify	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 13:09
-	27	dynamic near10 array same size same parameter	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 13:09
-	0	6108715.pn. and (function near10 type and marshalling near5 function)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 15:19
-	0	6108715.pn. and (function near10 type )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 15:20
-	0	6108715.pn. and (function near20 type )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 15:20
-	1	6108715.pn. and (object near20 description )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 15:21
-	1	6108715.pn. and (object near20 type )	USPAT; US-PGPUB; EPO; IBM_TDB	2003/11/20 15:21